




RAY CHENG 2026 BIKE TOOLS

BIKE TOOLS MANUFACTURER VARIOUS SPARE PART



**EFFORTLESS BREAKDOWN,
CRAFT YOUR WAY**

YOUR BIKE, OUR TOOLS!

Personalized disassembly experience, meticulously designed tools,
creating moments exclusively tailored to your bike!



Ray Cheng Tool Industrial Co., Ltd.
瑞城工業有限公司

About RAY CHENG

BIKE TOOLS MANUFACTURER VARIOUS SPARE PART

Since 1992

Item: Except hardware, we increased production to manufacture hand tool of bicycle more than 20 years ago.

The development history of Raycheng Industrial Co., Ltd. began in 1992 by focusing on CNC OEM. In 2002, it transformed and expanded into the development and manufacturing of bicycle repair tools. In addition to creating its own brand(RC-TOOL), it also provides OEM for well-known companies such as SRAM. Production services, this transformation and strategy demonstrate Raycheng's diversified business philosophy and market adaptability.

High quality production capacity

Being able to provide OEM production for internationally renowned brands such as SRAM proves Raycheng Industrial's high level of manufacturing quality, precision processing technology and product research and development capabilities. Behind this ability is the company's years of technological accumulation, strict quality control system and continuous pursuit of innovation.


Market positioning and brand strategy

In the bicycle maintenance tool market, Raycheng Industrial has successfully established its market position by developing its own brands. At the same time, the OEM strategy for other brands enables the company to leverage its existing manufacturing capabilities and technological advantages to further expand its business scope and customer base. The implementation of this strategy requires the company to maintain its own brand characteristics and competitiveness while also meeting the quality and innovation requirements of its partners.

Continuous innovation and cooperative development

Cooperation with industry leaders such as SRAM is not only production cooperation, but also involves the joint development of new products and technological innovation. Such cooperation represents recognition of Raycheng Industrial's technical level and innovative capabilities, and also provides partners with customized solutions that meet their needs.

Raycheng Industrial Co., Ltd. has gone from CNC OEM to the development and manufacturing of bicycle maintenance tools, and then to providing OEM production for brands such as SRAM. Raycheng has continued to grow in the fierce market competition through technology accumulation, high-quality production capabilities and continuous innovation. And development.



Electric lifting Workstand



Foldable



**Click Button
UP/STOP/DOWN**

**Item No: RC-QWE630
Rise: From 95-145cm
Max:30 Kgs
Power Supply: 110v or 220V**





Bottom Bracket Tools



RC-AF880

- B.B. Wrench
- For easy assembly of bottom bracket lock rings.
- Perfect tool for fixed-gear bikes
- With spoke tool for 3.2 & 3.3 & 3.5 nipple



RC-AF882

- B.B. Wrench+chain whip, 8 Speeds
- Lockring tool, freewheel turner(chain whip, 8 speeds)
- Perfect tool for fixed-gear bikes
- With spoke tool for 3.2, 3.3 & 3.5 nipple



RC-B22

- Bottom bracket tool
- Shimano & ISIS Drive compatible
- With a pin



RC-B26

- Screw-on blocking mechanism for square taper.



RC-B27

- Screw-on blocking mechanism for ISIS taper.



RC-B926H

- for shimano sm-BBR60



RC-B927H

- for shimano sm-BB9000



RC-B929

- Installation and removing of B.B. Fits Shimano Hollowtech II B.B.

RC-B937

- For mounting/removing the Shimano Hollowtech II bottom bracket cup.
- Can be used with torsion wrench.
- Suitable for Hollowtech II and 2-piece cranks. Tool Adapter TL-FC25 (SM-BBR60), TL-FC24 (SM-BB9000)



RC-C01

- RC-C01 is Dust cap wrench (magnetically mounted)
- For 8 internal splines of the crank arm dust cap.



RC-C601

RC-C601 RC-C603

- Use on installation and removing of B.B.
- Fits Shimano Hollowtech II B.B.



RC-C603



RC-B926

- for shimano sm-BBR60



RC-B926

- for shimano sm-BB9000



RC-B20



RC-B21



RC-B23

With Pin



RC-B34

RC-B20 RC-B21 RC-B23 RC-B34

- Bottom bracket tool, Shimano & ISIS Drive compatible.
- Made of Cr-Mo steel.
- For use with 1/2" driver and 24mm spanner




RC-B928

- Installation and removing of B.B.
- Fits Shimano Hollowtech II B.B.



Folding Tools



RC-810

- Hex Wrench: 2/2.5/3/4/5/6/8/+/-/T25/3.2/3.3/3.5/
- Spoke wrench mini chain tool, 14 in 1
- Folding tool(3.5")



RC-308

- Hex Wrench 2/3/4/5/6/+/-/T25, 8 in 1
- Folding tool(2.6")



RC-508


- Hex Wrench 2/3/4/5/6/+/-/T25, 8 in 1
- Folding tool(2.7")



RC-612



- Hex Wrench 2/2.5/3/4/5/6/+/-, 8 in 1
- Folding tool(3.0")



RC-811



- Hex Wrench: 2/2.5/3/4/5/6/8/+/-/T25/3.2/3.3/3.5/Spoke wrench
- mini chain tool, 14 in 1
- Folding tool(3.5")





Freewheel Tools



RC-A21

- Shimano cassette and MF compatible freewheels & Campagnolo 2 in 1 can use



RC-AL01

- Chain Whip Pliers
- All Speed chain Can use
- blister pack
- length: 30cmX10cmX2cm(close)
- 30CX15cmX2cm(open)28T



RC-A16

- Installs and removes Shimano cassette lockrings.
- With a pin



RC-A17

- Installs and removes Shimano cassette lockrings



RC-A12H

- Installs and removes Shimano MF



RC-AF861

- Combine both 14mm socket and 8mm Hex wrench (a integrated) with handle



RC-AF862

- With comfortable handle and heat treatment for long use 8 speed



RC-AF866

- With comfortable handle and heat treatment for long use 9 speed



RC-AF868

- With comfortable handle and heat treatment for long use 10 speed



RC-AF870

- With comfortable handle and heat treatment for long use 11 speed



RC-A1

- Installs and removes Shimano MF



RC-A12C

- Installs and removes Shimano MF



RC-A11

- Installs and removes cassette for campagnolo



RC-A13

- Installs and removes cassette for campagnolo



RC-A15

- Installs and removes Shimano cassette lockrings.
- With a pin



Bicycle Tool Kits



RC-TBX01

professional of bike tools for Shimano use
20 items toolbox

- RC-T110 - tire lever of 3 pieces
- RC-L716 - hex key wrench 2/2.5/3/4/5/6mm patch kit
- RC-C603 - bottom bracket wrench
- RC-MS18 - crank puller
- RC-W501 - pedal wrench
- RC-W502 - hub cone spanner 13/14/15/16mm set of 2 pieces
- RC-AF862 - freewheel turner
- RC-MS393 - chainring nut wrench

- RC-Z8 - "0" spoke wrench
- RC-311 - flat 5mm/philips screwdrivers
- RC-A12 - MF remocer
- RC-A15 - Lockring remover
- RC-B23 - cartridge B.B. tool
- RC-C01 - dust cap wrench
- RC-L81 - 8mm hex key wrench
- RC-D20 - chain rivet extractor
- RC-TL25 - T25 L wrench
- RC-TL30 - T30 L wrench



RC-TE56

- Economical Tool Bag - Hex mm 2/2.5/3/4/5/6/8/+/-/T25/3.2/3.3/3.5
- Spoke wrench mini chain tool
- 14 in 1 Folding tool (RC-810)
- Patch repair kit (self-adhesive patches x6, sandpaper)
- Tire leve x2

RC-TBX02

professional selections of tool including 31 items

- RC-A15 - lockring remover
- RC-A12 - MF remocer
- RC-MS18 - Crank puller (RC-MS18)
- RC-Z8 - 0" spoke wrench
- RC-B34 - cartridge B.B. tool
- RC-L716 - hex key wrench 2/2.5/3/4/5/6mm
- RC-E70 - patch kit
- RC-TL25 - T25 L wrench
- RC-TL30 - T30 L wrench
- RC-W504 - Headset Wrench
- RC-D33 - 2 in 1 chain checker and chain hook function
- RC-51 - Folding brush
- RC-612 - 8 in 1 Folding tool

- RC-188 - 5in 1 cable cutter
- RC-D20 - chain rivet extractor
- RC-313 - 5mm screwdrivers
- RC-314 - philips screwdrivers
- RC-312 - 3mm screwdrivers
- RC-C01 - Dust cap wrench
- RC-MS393 - chainring nut wrench
- RC-T110 - 2in 1 tire lever of 3 pieces
- RC-L81 - 8mm hex key wrench
- RC-W501 - pedal wrench
- RC-AF862 - freewheel turner
- RC-C603 - Bottom Bracket wrench
- RC-W502 - hub cone spanner 13/14/15/16mm set of 2 pieces





Disc Brake Tool



RC-F96

- Hydraulic disc brake + rotor flattening
- 2 in 1 tool



RC-F92

Hydraulic disc brake tool



RC-F90

Rotor flattening tool



RC-51

Brush



RC-52

Brush



RC-53

Brush



Chain Tools



RC-D21 PAT. M462632

- Connecting rivet pilot pin breaker included
- Chain rivet extractor 10-11



RC-D11 PAT. M462632

- Connecting rivet pilot pin breaker included
- Chain rivet extractor-7-9




RC-D10

Chain rivet extractor CP




RC-D20

- Connecting rivet pilot pin breaker included
- Chain rivet extractor



RC-D9

Chain rivet extractor UCP



Cotterless Crank Tools



RC-MS16

- Threaded nut includes smoothed ring at head to prevent damage to thread
- For Octalink Drive system.



Won't damage the inner thread of the crank
PAT. 469153



RC-MS17

- Threaded nut includes smoothed ring at head to prevent damage to thread
- Octalink Drive system.



RC-MS173

- Threaded nut includes smoothed ring at head to prevent damage to thread
- For Octalink Drive system.



RC-MS176

- Threaded nut includes smoothed ring at head to prevent damage to thread.
- For Octalink and ISIS Drive system.



RC-MS719



RC-MS18

- Threaded nut includes smoothed ring at head to prevent damage to thread
- For Octalink and ISIS Drive system.



RC-AF863

- Cotterless Crank Extractor
- Oversized B.B. Drive
- Length: 240mm



RC-AF864

- Cotterless Crank Extractor
- Oversized B.B. and ISIS Drive
- Length: 240mm



RC-AF865

- Cotterless Crank Extractor
- Oversized B.B. and ISIS Drive
- Length: 240mm



RC-M3939

- Used to tighten or loosen chainring nuts
- Securely holds the slotted nut to prevent spinning.



RC-AF865S

Cotterless Crank Extractor



Wheel & Spoke



RC-S62

- Nipple spoke wrench with comfortable hand length 160 mm
- 3.2 mm square socket.

RC-S64

- Nipple spoke wrench with comfortable hand length 160 mm
- 4.8 mm square socket.

RC-S66

- Nipple spoke wrench with comfortable hand length 160 mm
- 5.4 mm square socket.



RC-S60

BLADED SPOKE HOLDER-six different sizes slot.



RC-Z8

O-shaped spoke wrench
9-15G



RC-S1

Suitable for
0.127"(3.25mm) nipples



RC-S2

Suitable for
0.130"(5.50mm) nipples



RC-S3

Suitable for
0.136"(3.30mm) nipples



RC-S4

Suitable for
0.145"(3.70mm) nipples



RC-S5

Suitable for
0.153"(3.90mm) nipples



Wrenches



- Hub Cone Spanner: 13/14/15/16/17/18/19/23/24/25, 10PCS/SET
- Length: 210mm
- Specifically slide edge designed for easier move of the wrenches into the cone.

RC-W313 13mm cone wrench
 RC-W314 14mm cone wrench
 RC-W315 15mm cone wrench
 RC-W316 16mm cone wrench
 RC-W317 17mm cone wrench

RC-W318 18mm cone wrench
 RC-W319 19mm cone wrench
 RC-W323 23mm cone wrench
 RC-W324 24mm cone wrench
 RC-W325 25mm cone wrench



RC-C215

15mm opened-ended pedal wrench



RC-W501

- 15mm pedal wrench
- 14/15mm box wrench



RC-W504

- Headset Wrench
- 30/32/36/40 mm



Higher strength

RC-C225

- Reinforced pedal wrench,
- Board thickness: 5mm,
- Iron tube thickness: 2mm,
- Length: 360mm



RC-W502

7-15mm spanner



RC-131

7-15mm spanner



RC-133

7-15mm spanner



RC-137

6-15mm Dumbbell wrench



RC-139

13/14/15/17mm Wrench



RC-B5

14/15mm and Bracket Locking Hook Wrench



RC-142

- 14/15mm box wrench
- 10/13/19mm wrench



RC-S81

- Universal wrench 8-25mmv
- length: 21cm



RC-S92

- Universal wrench 10-32mmv
- length: 26cm



Torque Wrenches



RC-Q580

Torque wrench won't be damaged and displaced its inside parts when it was collided.

PAT. 545668-Fast torque lock design
PAT. 524242-Shockproof & shockdrop

- 1/4, Jscale window type Torque wrench set
- Bit socket: Hex /6/8/10mm
- Torx 20/25/30
- Hex 5mm-L: 100mm,
- Hex 4mm-L: 75mm
- Display Range: 2-24Nm
- Tool length: 220mm

Window Scale Display



Easy to See & USE



NEW COLOR ■



Ergonomically shaped and TPR plastic handle grip.
RC-Q580 design for set up the torque value securely by tighten the bottom screw.



Torque Wrenches



RC-Q6300

- 1/4" SQ DRIVE Size: 290x35x35mm
- Display Range: 1 ~ 30 N-m
- Guaranteed Accuracy: $\pm 4\%$
- With 1/4"Dr. 15pc L37mm Socket Bits PH1,PH2,FD4, FD5,FD6,T10,T20,T25,H2,H2.5,H3,H4,H5,H6 & Socket holder L50mm



RC-Q560

- 1/4" DR.Window Type Torque Wrench
- Display Range:5-25NM
- Length:300mm




RC-Q570

- 1/4" DR.Window Type Torque Wrench
- Display Range:5-25NM
- Length:300mm



RC-Q540

- 1/2" Torque wrench
- Display Range: 19-110Nm
- Tool Length: 360mm



RC-Q520

- 1/4W Torque wrench
- Display Range: 2-24Nm
- Tool length: 260mm



Hex Wrenchs



RC-L765

- Ball H4/H5/H6 hex key wrench
- Plastic material: ABS



RC-L799

- 1/4"1/4"DOUBLE FLEXI WRENCH
- 1/4"1/4"1/4" Universal Drive &1/4"180° HEX
- BIT: HEX 3/4/5/6/T25/T30
- 13mm BOX Wrench



RC-L761

- H2/H2.5/H3 hex key wrench
- Plastic material: ABS



RC-L762

- H4/H5/H6 hex key wrench
- Plastic material: ABS



RC-L763

- T10/T25/T30 hex key wrench
- Plastic material: ABS



RC-L764

- T25/T30/T40 hex key wrench
- Plastic material: ABS



RC-L766

- Y BOX 8/9/10mm wrench
- Plastic material: ABS



RC-L716 ■■

- 2/2.5/3/4/5/6mm hex key wrench black



RC-L718 ■■

- 2/2.5/3/4/5/6mm hex key wrench black
- 8mm sleeve



RC-L719

- 1.5/2/2.5/3/4/5/6/8/10mm hex key wrench



RC-L790

- Twin-head wrench set
- 2x2.5x3x4x5x6x8.10mm hex key wrenches



RC-L780

- Twin-head wrench set
- T-10/15/20/25/27/30/40/45/50



RC-L81

- Hex Key 8mm Wrench
- 1/2" Dr. ratchet wrench



Tire Lever



RC-T110 PAT. 528902

- Bicycle Tire Lever & Bottle
- OpEner• 2 in 1 functional tool
- 3 pcs/set



TC-T110A

- Bicycle Tire Lever & Bottle Opener-2 in 1 Functional Tool Set
- 30 SETS/BOX



RC-T105
Tire lever 3pcs/set



RC-T109
Tire lever 3pcs/set



RC-T112
•Aluminum alloy Tire Lever
•3pcs/set



Cable Cutter



Euipo No. 004543684-0001
PAT. M553683

RC-188

Cable Cutter + Master Link 5 in 1 Tool

FEATURES



Cable Cutter



Spare Master Link



Chain Quick Link Switch



Cable Reaming



Inner Cap Clamp

- SK5 industrial steel for hardened and durability
- The cutting jaws is sharp and strong for a clean cut on bicycle cables
- Advanced tool for both open and close the chain master link



RC-180

- Master Link Tool
- Advanced tool for both open and close the chain master link



RC-CP01

Inner wire plier

RC-186

- 7 1/2" Cable Cutter
- CAPACITY:
3/16" DIA WIRE OPE & 1/16" DIA SPRING WIRE



Accessories



RC-F111

- Bicycle Storage Mount
- Use it in the car trunk for travel or storage.



RC-F114

- Chainmaster,for rear chain stay, dropout,and derailleur protection when you travel,
- Material: Iron m



RC-F110

- Bicycle Storage Mount-Applicable through shaft



RC-C700

- Com bi nation Ratchet Wrench KIT
- Size: 10-11-12-13-14-15-16m



RC-F112-B

- Chain master, protects when traveling and when removing the front wheels
- Material: alloy+Iron



RC-120

- For clea n and straight cuts on headset tubes, han diebars, seatposts
- It is delivered with a replacement cutting wheel in the knob
- Up to 3-38mm tubediameter (1/8" - 1-1/2")
- Ideal for Ti/AL/Cr-Mo/Steel
- Not recommended for carb on fiber or threaded tubes
- Removable rotating deburrer



RC-F113-R

- Chainmaster,for rear chain stay,dropout, and derailleur protection when you travel,
- Material: Alloy



Accessories



RC-750

Bike Wall Hanger



RC-S004

Portable truing Stand for wheel from 16"-29"



RC-F121

- Bicycle frame in the car use
- Applicable length 1080mm~1450mm
Can use two bicycles
- Must be paired with RC-111



RC-489

O-ring tool



RC-M8

Display stand for 26" to 30" bicycles



RC-901

Bike valve tool



ET-01

Screwdriver Open Eye



ET-02

Bar Rasp



RC-M11

- Clamp universal parking rack.
- Especially suitable for 26" to 30" road bikes.



Bicycle Tool Bag



RC-TE90

Economical Tool Bag

- Hex mm2/2.5/3/4/5/6/8/+7T25/3.2/3.3/3.5 Spoke wrench mini chain tool
- 14 in 1 Folding tool (RC-810)
- Patch repair kit (self-adhesive patches x6, sandpaper)
- Reel Tool kit Tire leve x3
- RC-T110



RC-B23

- waterproof kit
- 18X13X7cm



RC-B25

-




Bicycle Tool Bag



RC-BA15

Size: 38X16cm



RC-BA10

Size: 18X8X5cm



RC-BA12

Size: 18X12X6cm



RC-BA13

Size: 27X14cm



RC-BA14


Size: 15X8X4cm



RC-L621
Multi-Hex Thru-Axle
Lever Tool (5/6mm)



RC-L622
Multi-Hex Thru-Axle
Lever Tool (4/5/6mm)




RC-BF52
Product Name: E-Bike Hub & Chaining Removal Tool
for ISIS 47T Motor Systems

Description:

Specially designed for mid-drive e-bike motors that feature an ISIS bottom bracket interface and 47T chainring configuration, such as Bosch Gen2/Gen3 units. This tool enables safe and efficient removal of the chainring and hub-mounted components without damaging the motor or surrounding parts. Ideal for use in both assembly lines and professional maintenance settings.

Key Features:

- Compatible with ISIS-type bottom brackets
- Supports chainrings with 47T tooth count
- Strong anti-slip grip for high-torque applications
- Precision-machined engagement for secure operation
- Designed for Bosch-style e-bike motor systems



RC-BF010

Product Name: Hub Disc & External Bottom Bracket Removal Tool

Description:

A precision-engineered tool designed for the safe removal of hub disc systems and external bottom brackets. Ideal for use on e-bikes and high-performance bicycles equipped with hollow axle wheelsets. The center-locking nut design prevents slippage during high-torque removal, effectively avoiding damage to the bottom bracket shell. This makes the RC-BF010 especially suitable for external BB systems, where tool slippage can commonly cause thread damage or surface wear.

Key Features:

- Suitable for external bottom brackets and disc hub systems
- Locking nut mechanism prevents tool slippage during removal
- Designed for hollow axle wheelsets
- Minimizes the risk of BB damage during disassembly
- Ideal for assembly lines and professional repair shops



About RAY CHENG

BIKE TOOLS MANUFACTURER VARIOUS SPARE PART

Since 1992

Item: Except hardware, we increased production to manufacture hand tool of bicycle more than 20 years ago.

The development history of Raycheng Industrial Co., Ltd. began in 1992 by focusing on CNC OEM. In 2002, it transformed and expanded into the development and manufacturing of bicycle repair tools. In addition to creating its own brand(RC-TOOL), it also provides OEM for well-known companies such as SRAM. Production services, this transformation and strategy demonstrate Raycheng's diversified business philosophy and market adaptability.

High quality production capacity

Being able to provide OEM production for internationally renowned brands such as SRAM proves Raycheng Industrial's high level of manufacturing quality, precision processing technology and product research and development capabilities. Behind this ability is the company's years of technological accumulation, strict quality control system and continuous pursuit of innovation.


Market positioning and brand strategy

In the bicycle maintenance tool market, Raycheng Industrial has successfully established its market position by developing its own brands. At the same time, the OEM strategy for other brands enables the company to leverage its existing manufacturing capabilities and technological advantages to further expand its business scope and customer base. The implementation of this strategy requires the company to maintain its own brand characteristics and competitiveness while also meeting the quality and innovation requirements of its partners.

Continuous innovation and cooperative development

Cooperation with industry leaders such as SRAM is not only production cooperation, but also involves the joint development of new products and technological innovation. Such cooperation represents recognition of Raycheng Industrial's technical level and innovative capabilities, and also provides partners with customized solutions that meet their needs.

Raycheng Industrial Co., Ltd. has gone from CNC OEM to the development and manufacturing of bicycle maintenance tools, and then to providing OEM production for brands such as SRAM. Raycheng has continued to grow in the fierce market competition through technology accumulation, high-quality production capabilities and continuous innovation. And development.



Electric lifting Workstand



Foldable



**Click Button
UP/STOP/DOWN**

**Item No: RC-QWE630
Rise: From 95-145cm
Max:30 Kgs
Power Supply: 110v or 220V**





Bottom Bracket Tools



RC-AF880

- B.B. Wrench
- For easy assembly of bottom bracket lock rings.
- Perfect tool for fixed-gear bikes
- With spoke tool for 3.2 & 3.3 & 3.5 nipple



RC-AF882

- B.B. Wrench+chain whip, 8 Speeds
- Lockring tool, freewheel turner(chain whip, 8 speeds)
- Perfect tool for fixed-gear bikes
- With spoke tool for 3.2, 3.3 & 3.5 nipple



RC-B22

- Bottom bracket tool
- Shimano & ISIS Drive compatible
- With a pin



RC-B26

- Screw-on blocking mechanism for square taper.



RC-B27

- Screw-on blocking mechanism for ISIS taper.



RC-B926H

- for shimano sm-BBR60



RC-B927H

- for shimano sm-BB9000



RC-B929

- Installation and removing of B.B. Fits Shimano Hollowtech II B.B.

RC-B937

- For mounting/removing the Shimano Hollowtech II bottom bracket cup.
- Can be used with torsion wrench.
- Suitable for Hollowtech II and 2-piece cranks. Tool Adapter TL-FC25 (SM-BBR60), TL-FC24 (SM-BB9000)



RC-C01

- RC-C01 is Dust cap wrench (magnetically mounted)
- For 8 internal splines of the crank arm dust cap.



RC-C601



RC-C603

RC-C601 RC-C603

- Use on installation and removing of B.B.
- Fits Shimano Hollowtech II B.B.



RC-B926

- for shimano sm-BBR60



RC-B926

- for shimano sm-BB9000



RC-B20



RC-B21



RC-B23

With Pin



RC-B34

RC-B20 RC-B21 RC-B23 RC-B34

- Bottom bracket tool, Shimano & ISIS Drive compatible.
- Made of Cr-Mo steel.
- For use with 1/2" driver and 24mm spanner




RC-B928

- Installation and removing of B.B.
- Fits Shimano Hollowtech II B.B.



Folding Tools



RC-810

- Hex Wrench:
2/2.5/3/4/5/6/8/+/-/T25/3.2/3.3/3.5/
- Spoke wrench mini chain tool,
14 in 1
- Folding tool(3.5")



RC-308

- Hex Wrench 2/3/4/5/6/+/-/T25,
8 in 1
- Folding tool(2.6")



RC-508

- Hex Wrench
2/3/4/5/6/+/-/T25, 8 in 1
- Folding tool(2.7")



RC-612

- Hex Wrench 2/2.5/3/4/5/6/+/-,
8 in 1
- Folding tool(3.0")



RC-811

- Hex Wrench:
2/2.5/3/4/5/6/8/+/-/T25/
3.2/3.3/3.5/Spoke wrench
- mini chain tool, 14 in 1
- Folding tool(3.5")





Freewheel Tools



RC-A21

- Shimano cassette and MF compatible freewheels & Campagnolo 2 in 1 can use



RC-AL01

- Chain Whip Pliers
- All Speed chain Can use
- blister pack
- length:30cmX10cmX2cm(close)
- 30CX15cmX2cm(open)28T



RC-A16

- Installs and removes Shimano cassette lockrings.
- With a pin



RC-A17

- Installs and removes Shimano cassette lockrings



RC-A12H

- Installs and removes Shimano MF



RC-AF861

- Combine both 14mm socket and 8mm Hex wrench (a integrated) with handle



RC-AF862

- With comfortable handle and heat treatment for long use 8 speed



RC-AF866

- With comfortable handle and heat treatment for long use 9 speed



RC-AF868

- With comfortable handle and heat treatment for long use 10 speed



RC-AF870

- With comfortable handle and heat treatment for long use 11 speed



RC-A1

- Installs and removes Shimano MF



RC-A12C

- Installs and removes Shimano MF



RC-A11

- Installs and removes cassette for campagnolo



RC-A13

- Installs and removes cassette for campagnolo



RC-A15

- Installs and removes Shimano cassette lockrings.
- With a pin



Bicycle Tool Kits



RC-TBX01

professional of bike tools for Shimano use
20 items toolbox

- RC-T110 - tire lever of 3 pieces
- RC-L716 - hex key wrench 2/2.5/3/4/5/6mm patch kit
- RC-C603 - bottom bracket wrench
- RC-MS18 - crank puller
- RC-W501 - pedal wrench
- RC-W502 - hub cone spanner 13/14/15/16mm set of 2 pieces
- RC-AF862 - freewheel turner
- RC-MS393 - chainring nut wrench

- RC-Z8 - "0" spoke wrench
- RC-311 - flat 5mm/philips screwdrivers
- RC-A12 - MF remocer
- RC-A15 - Lockring remover
- RC-B23 - cartridge B.B. tool
- RC-C01 - dust cap wrench
- RC-L81 - 8mm hex key wrench
- RC-D20 - chain rivet extractor
- RC-TL25 - T25 L wrench
- RC-TL30 - T30 L wrench



RC-TE56

- Economical Tool Bag - Hex mm 2/2.5/3/4/5/6/8/+/-/T25/3.2/3.3/3.5
- Spoke wrench mini chain tool
- 14 in 1 Folding tool (RC-810)
- Patch repair kit (self-adhesive patches x6, sandpaper)
- Tire leve x2

RC-TBX02

professional selections of tool including 31 items

- RC-A15 - lockring remover
- RC-A12 - MF remocer
- RC-MS18 - Crank puller (RC-MS18)
- RC-Z8 - 0" spoke wrench
- RC-B34 - cartridge B.B. tool
- RC-L716 - hex key wrench 2/2.5/3/4/5/6mm
- RC-E70 - patch kit
- RC-TL25 - T25 L wrench
- RC-TL30 - T30 L wrench
- RC-W504 - Headset Wrench
- RC-D33 - 2 in 1 chain checker and chain hook function
- RC-51 - Folding brush
- RC-612 - 8 in 1 Folding tool

- RC-188 - 5in 1 cable cutter
- RC-D20 - chain rivet extractor
- RC-313 - 5mm screwdrivers
- RC-314 - philips screwdrivers
- RC-312 - 3mm screwdrivers
- RC-C01 - Dust cap wrench
- RC-MS393 - chainring nut wrench
- RC-T110 - 2in 1 tire lever of 3 pieces
- RC-L81 - 8mm hex key wrench
- RC-W501 - pedal wrench
- RC-AF862 - freewheel turner
- RC-C603 - Bottom Bracket wrench
- RC-W502 - hub cone spanner 13/14/15/16mm set of 2 pieces





Disc Brake Tool



RC-F96

- Hydraulic disc brake + rotor flattening
- 2 in 1 tool



RC-F92

Hydraulic disc brake tool



RC-F90

Rotor flattening tool



RC-51

Brush



RC-52

Brush



RC-53

Brush




Chain Tools



RC-D21 PAT. M462632
●Connecting rivet pilot pin breaker included
●Chain rivet extractor 10-11




RC-D11 PAT. M462632
●Connecting rivet pilot pin breaker included
●Chain rivet extractor-7-9



RC-D10
Chain rivet extractor CP



RC-D20
●Connecting rivet pilot pin breaker included
●Chain rivet extractor



RC-D9
Chain rivet extractor UCP



Cotterless Crank Tools



RC-MS16

- Threaded nut includes smoothed ring at head to prevent damage to thread
- For Octalink Drive system.



Won't damage the inner thread of the crank
PAT. 469153



RC-MS17

- Threaded nut includes smoothed ring at head to prevent damage to thread
- Octalink Drive system.



RC-MS173

- Threaded nut includes smoothed ring at head to prevent damage to thread
- For Octalink Drive system.



RC-MS176

- Threaded nut includes smoothed ring at head to prevent damage to thread.
- For Octalink and ISIS Drive system.



RC-MS719



RC-MS18

- Threaded nut includes smoothed ring at head to prevent damage to thread
- For Octalink and ISIS Drive system.



RC-AF863

- Cotterless Crank Extractor
- Oversized B.B. Drive
- Length: 240mm



RC-AF864

- Cotterless Crank Extractor
- Oversized B.B. and ISIS Drive
- Length: 240mm



RC-AF865

- Cotterless Crank Extractor
- Oversized B.B. and ISIS Drive
- Length: 240mm



RC-M3939

- Used to tighten or loosen chainring nuts
- Securely holds the slotted nut to prevent spinning.



RC-AF865S

Cotterless Crank Extractor

RC-L662

MULTI-FUNCTION HEX WRENCH



THRU AXLE TOOL

BRAKE PAD SPREADER

HEX 4 / 5 / 6 MM



RC-MS125 CRANK PULLER M22 / M25

Compatible with (515 & Square Tape)
M25 for Cargo Bike Application
Dual Thread Design (M22 / M25)
Heavy Duty Structure
Precision Machined



RC-D36

MINI CHAIN TOOL & QUICK LINK TOOL

- Quick Link Install & Remove
- Chain Wear Indicator
- Compact & Portable Design



ALL-IN-ONE TUBELESS REPAIR TOOL

Compact. Fast. Reliable.



TUBELESS REPAIR
Plug & repair punctures fast



CO2 INFLATION
Quickly inflate tires in seconds



HEX TOOL
Adjust components anytime

MODEL: RC-AX62



ONE TOOL.  

INFLATE · RIDE



RAY CHENG

瑞城工業有限公司

Ray Cheng Tool Industrial Co., Ltd.

<https://www.rcbiketools.com/>